

Town of Bethany
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
Section 1: Development			
<i>Existing Developments</i>			
1-01	Identify retrofit opportunities such as addition of stormwater ponds to older developments or construction of wastewater treatment systems to replace older septic systems		0
1-02	Identify habitat and natural conveyance system restoration opportunities		0
1-03	Establish retention/detention areas		0
1-04	Acquire additional land for locating treatment facilities		0
1-05	Encourage homeowners to place compost piles away from waterbodies and roadways	Practice: 1999-2003 GLOW Composting Education Demonstration Sites set up with informational brochures	2
1-06	Encourage proper use and disposal of lawn and other household chemicals	Practice: 1995, 1999, 2003, 2006 GLOW Region Solid Waste Management Committee, in cooperation with GLOW Region Soil and Water Conservation, Farm Bureau and Cornell Cooperative Extension offices, farm pesticide collection programs; Household Hazardous Waste programs held regularly	2
1-07	Institute turf management practices on golf courses and parks and recreation areas		0
1-08	Undertake storm drain stenciling	Practice: conducted in both watersheds at various points in time; MS4s and stormdrains are relatively limited in rural towns, however	2
1-09	Encourage volunteer programs, such as adopt-a-highways and adopt-a-stream, etc.	Practice: Oatka/Black Creek Watershed Committee, Cornell Cooperative Extension and SWCD have various programs and volunteer efforts geared toward stream and ecosystem stewardship	2
1-10	Include high percentage of indigenous plants in new landscaping on privately-owned properties (excluding arboretums, horticultural gardens, and sites requiring turf grasses)	Practice: SWCD tree and shrub sale, occurs on an annual basis; hardy varieties of native species are provided to the public at low-cost	2
1-11	Encourage water conservation		0

Town of Bethany
Black and Oatka Watersheds

<i>BMP #</i>	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-12	Develop outreach programs targeted at specific problems related to water quality management & resource conservation	Practice: CCE, SWCD and the two watershed groups have been developing several distinct programs regarding water quality, including (but not limited to) septic system outreach, erosion and sediment control workshops, agricultural BMPs, watershed planning and household hazardous waste	2
1-13	Encourage proper control of pet wastes		0
1-14	Encourage continued operation of private storm water runoff control structures	Stormwater Management and Erosion Control Plan, Sec. 8.III-a6: [Stormwater Management Facilities] provide information on the design provisions that address safety considerations and accommodate maintenance needs (including access to conduct maintenance operations).	2
1-15	Discourage feeding of waterfowl		0
1-16	Discourage the introduction of exotic aquatic species (Eurasian water milfoil, zebra mussels, water chestnut, loosestrife, hogweed, etc		0
1-17	Encourage continued (periodic) operation and maintenance of private septic disposal systems		0
1-18	Effective and consistent application and enforcement of stormwater regulations & requirements	Stormwater Management and Erosion Control Plan, Sec. 8.1-a: Project Description: [must describe proposal, including project size, necessary improvements, location, etc.] Z.O. Art II Sec. 208.9 Performance Standards: ...final responsibility for compliance with all environmental laws and regulations lies with the applicant.	2
1-19	Require certification of existing on site septic systems for property transfers or building expansions.	Genesee County Sanitary Code: inspections performed when repairs, expansions or alterations take place; inspections performed when property transfers take place or upon request during refinancing	2
1-20	Require entire property (existing as well as proposed) to be included in stormwater analysis/calculation.	Z.O. Sec. 208, Planning Board Powers and Duties, 2: Submission of Site Plan and Data: f) - Site plan data must include storm drainage facilities; J) - Site plan data must include a description of the proposed measures to control runoff and drainage from the site and when required by NYS DEC and/or SEQR process, a Storm Water Management and Erosion Control Plan. and Site Plan Criteria 3e: adequacy of municipal facilities to serve the proposal including...wastewater treatment and stormwater controls. Also see, Stormwater Management and Erosion Control Plan.	2
1-21	Use of drainage districts		0

Town of Bethany
Black and Oatka Watersheds

<i>BMP</i> #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
<i>New Development and Substantial Redevelopment</i>			
1-22	Minimize the amount of land disturbed and the duration of disturbance		0
1-23	Preserve natural features and conform substantially with the natural boundaries and alignment of waterbodies	Comp Plan pg. 12. E - This plan is responsible for preserving the rural character of the land. See also pg. 13 - Land use plan is designed to protect environmental resources from the negative impacts of development. See also Stormwater Management and Erosion Control, Sec 3 Purpose c: maintain the integrity of stream geometry so as to sustain the hydrologic functions of streams...	2
1-24	Retain and protect trees and other natural vegetation on and near disturbed sites	Stormwater Management and Erosion Control Plan, Sec. 10: Performance Standards, A: Existing vegetation shall be retained;	2
1-25	Account for topography and soil type in efforts to minimize erosion potential	Stormwater Management and Erosion Control Plan, Sec. 8 Contents of Plan-Existing Conditions, b3: Obtain soils survey info. and detail within plan...	2
1-26	Maintain runoff rates similar to pre-construction levels	Stormwater Management and Erosion Control Plan, Sec. 8: Structure and Content of Plan: [must compare post-development conditions with pre-development conditions]. See also Sec. 8 II: Methodology for Comparison of Pre-Development with Post-Development Runoff [to be submitted in plan]	2
1-27	Minimize the creation of impervious areas [encourage permeable surface]		0
1-28	Control increased runoff caused by changed surface conditions to minimize the danger of flooding, erosion, sedimentation and pollutants entering waterbodies prior to, during and after construction	Z.O. Sec. 208, Planning Board Powers and Duties, 2: Submission of Site Plan and Data: J) - Site plan data must include a description of the proposed measures to control runoff and drainage from the site and when required by NYS DEC and/or SEQR process, a Storm Water Management and Erosion Control Plan. See also Stormwater Management and Erosion Control Plan: [purpose and objectives of the ordinance; contents of SWMP]	2
1-29	Use temporary vegetation, silt barriers, and mulching to protect exposed and critical areas during development including timeline requirements (i.e. two weeks of no activity would need to be seeded)	Stormwater Management and Erosion Control Plan, Sec. 8 IV: Erosion and Sediment Control, [parts A and B describe the facilities that must be developed, both temp. and permanent]	2
1-30	Redistribute topsoil within the boundaries of the disturbed land for seeding and planting		0

Town of Bethany
Black and Oatka Watersheds

<i>BMP #</i>	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-31	Stabilize disturbed soils as soon as possible	Z.O. Art. III Sec 301.10, Excavation: In any construction, open excavations shall be limited to a maximum of sixty days, with appropriate fencing, barricades or covering Stormwater Management and Erosion Control Plan, Sec. 10: Performance Standards, D5: [all sites should be seeded and mulched...immediately]	2
1-32	Minimize the use of cut and fill operations. Conform such operations to topography and soils to minimize erosion potential and adequately accommodate runoff	Stormwater Management and Erosion Control Plan, Sec. 10: Performance Standards, 4G [in the event cut and fills are used, design drainage properly]	2
1-33	Use appropriate solid and hazardous waste generation and disposal practices including source controls and recycling	Z.O. Art II Sec. 208, Planning Board- K - Site plan must include a description of the proposed generation, storage and/or disposal of hazardous material and/or hazardous wastes on-site.	2
1-34	Encourage construction site management techniques which include erosion control practices (follow SWPPPs) and the proper handling and disposal of pesticides and petroleum products and containers	Z.O. Sec. 208, Planning Board Powers and Duties, 2: Submission of Site Plan and Data: J) - Site plan data must include a description of the proposed measures to control runoff and drainage from the site and when required by NYS DEC and/or SEQR process, a Storm Water Management and Erosion Control Plan. K) a description of the proposed generation, storage and/or disposal of hazardous materials and/or hazardous wastes on-site, including estimates of amounts involved and provisions for transport, storage and env. protection. Also see, Stormwater Management and Erosion Control Plan, Sec. 8a [no alterations or clearing may take place until a SWMP is submitted and approved...]	2
1-35	Ensure proper operation and maintenance of runoff management facilities	Stormwater Management and Erosion Control Plan. Sec. 8 V: Schedule and Maintenance, A and B: [an implementation schedule and long-term maintenance plan must be submitted in the plan]... See also Sec. 10D7, re: Maintenance	2
1-36	Target training for contractors, developers, inspectors and zoning and planning officials.		0
1-37	Require tree surveys and/or cutting plans.	Stormwater Management and Erosion Control Plan, Sec. 10: Performance Standards, D3: where protection of trees and/or vegetation is required, the location should be shown on the erosion control plan	2
1-38	Develop priority list for BMP's - use of vegetative low areas for retention/infiltration.		0

Town of Bethany
Black and Oatka Watersheds

<i>BMP</i> #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-39	Encourage cluster development/conservation subdivisions		0
1-40	Require connection to and/or extension of existing water & sewer if project is within 500 feet of existing infrastructure		0
1-41	Enact limits on driveway grades.		0
1-42	For redevelopment, employ regulations that provide for technologically advanced (on and off) site wastewater treatment systems to optimize efficiencies and address "challenging" sites		0
1-43	Implement Federal/State Stormwater (SPDES) Phase II requirements including MS4 and Construction Permits as well as Municipal and Industrial Discharge Permits	Z.O. pg 22.J- Site plan data must include a description of the proposed measures to control runoff and drainage from the site and when required by NYS DEC and/or SEQR process, a Storm Water Management and Erosion Control Plan. Construction site and Construction Permit inspection conducted by the county SWCD at the request of NYSDEC; G/FLRPC continues to assist municipalities with other aspects of Phase II Stormwater compliance	2
1-44	Discourage development in flood plain and/or development below base flood elevation	Town of Bethany Flood Damage Prevention Law.	2
Section 2: Forestry and Agriculture			
<i>Forestry</i>			
2-01	Consider potential water quality impacts when selecting silviculture system (yarding system, site preparation, pesticides employment, etc)		0
2-02	Consider harvesting practices	Practice: SWCD encourages good woodland management and proper harvesting techniques to maintain present and meet future needs in cooperation with NYSDEC state foresters, and the Genesee County Park and Forest; also, a display at the County Park is being considered that can describe different woodlot management approaches	2
2-03	Seasonal preference for logging operations		0

Town of Bethany
Black and Oatka Watersheds

<i>BMP #</i>	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
2-04	Have specialists (geologist, soil scientist, geotechnical engineer, wildland hydrologist) review plans in high erosion hazard areas		0
2-05	Preplan harvest areas, skid trails, and access so as to be on stable soils, avoiding steep gradients, multiple stream crossings, poor drainage areas, etc.		0
2-06	Limit grades of access roads.		0
2-07	Require stabilization of roads/drives to forestry site.		0
2-08	Employ natural topography and contour for design of road network		0
2-09	Require stormwater controls for increased runoff from ground cover modification		0
2-10	Consider site restoration		0
<i>Agriculture</i>			
2-11	Use Agricultural Environmental Management (AEM)	Practice: See county SWCD AEM Five Year Plan	2
2-12	Require farms seeking agricultural value assessment to participate in AEM	Does not apply: Legality of such a practice questioned by regional SWCD managers	n/a
2-13	Concentrated Animal Feeding Operations (CAFO) regulations and permits being followed	Practice: See county SWCD AEM Five Year Plan	2
2-14	Use of Comprehensive Nutrient Management Plans	Practice: The latest NYS Ag and Markets Comprehensive Nutrient Planning Grant through the Ag Nonpoint Source Abatement program consists of cost sharing for the development of CNMPs for 18 farms in the Oatka Crekk watershed, 12 in Wyoming County, 5 in Genesee County and 1 in Monroe County	2
2-15	Barnyard runoff controls	Practice: Most recently, Barnyard Runoff Management Systems and other operational BMPs were implemented on farms in Ogden(2), Wheatland(1), LeRoy(3), Pavilion(2), Byron(1), Warsaw(5), Covington(3), Orangeville(1), and Middlebury(1) through the Genesee River Implementatin Grant project	2
2-16	Grazing in environmentally sensitive areas (e.g. streams)	Practice: Caring for Creeks, EPF Ag NPS Abatement grants	2

Town of Bethany
Black and Oatka Watersheds

<i>BMP</i> #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
2-17	Use of agricultural protection such as Agricultural Districts, agricultural preservation ordinances and practices, right to farm laws, and Agricultural and Farmland Protection Plans	Comp. Plan pg.12. D - Bethany is primarily located in an Ag. District, and supports the preservation of viable agriculture activity. Z.O. pg.42. Section 306 - Agriculture Residential Districts are designed to preserve the Towns agriculture base and maintain its rural nature.; County Agricultural and Farmland Protection Plan under production.	2
2-18	Existing Open Space Plans	Genesee County Smart Growth Plan, 2005 Review Report, page 7: Purpose of the plan is to minimize the impacts from additional growth and development that would otherwise occur as a result of the extension of water service.	2
Section 3: Waterways and Wetlands			
<i>Modified Waterways</i>			
3-01	Develop an operation and maintenance program for existing modified streams that includes identification of opportunities and actions to restore habitat and the physical and chemical characteristics of these streams.		0
3-02	Improve stream quality by controlling instream sedimentation and selectively clearing debris	Stormwater Management and Erosion Control, Sec 3 Purpose d: control erosion and sedimentation so as to prevent its deposition in streams and other receiving water bodies; Practice: SWCD	2
3-03	Establish or reestablish riparian buffers	Stormwater Management and Erosion Control Plan. Sec. 10D6: Stream Corridor Management ; Practice: SWCD works in conjunction with land owners, farmers in particular, implementing federally-funded programs	2
3-04	Prevent animal wastes from entering waterbodies. Examples may include: animal control ordinances and/or practices that pertain to animal waste disposal; waterfowl abatement programs.	Z.O. Article VI Sec. 608, Animal Waste Storage Facilities: All proposals for installation and/or modification of animal waste storage facilities shall be submitted to the Genesee County Soil and Water Conservation District for their review and determination as to acceptability.; Practice: SWCD/NRCS implementing AEM, comprehensive nutrient management plans, bunker storage systems, etc.	2
3-05	Attempt vegetative stabilization before undertaking structural measures	Practice: SWCD has used vegetated systems, such as downed trees and logs, to stabilize severely eroded banks	2

Town of Bethany
Black and Oatka Watersheds

<i>BMP #</i>	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
3-06	Schedule the periodic maintenance of sediment control measures, and inspect and repair them as needed in conformance with established schedule.	Stormwater Management and Erosion Control Plan. Sec. 8 V: Schedule and Maintenance, A and B: [an implementation schedule and long-term maintenance plan must be submitted in the plan]; Practice: SWCD is always looking for opportunities to devise check dams; maintains several that are in operation	2
3-07	Protect streambanks through direct nonstructural means, such as new vegetation or protection of existing vegetation; direct structural means, such as revetments and bulkheads; indirect nonstructural means, such as regulating irrigation near streambanks or rerouting overbank drainage; or indirect structural means, such as deflecting channel flow away from streambanks with dikes, board fences and gabions	Stormwater Management and Erosion Control Plan: [purpose and objectives of the plan]...to maintain the integrity of stream geometry so as to sustain the hydrologic functions of streams; Practice: SWCD has used vegetated systems, such as downed trees and logs, to stabilize severely eroded banks	2
3-08	Use setbacks to minimize disturbance of land adjacent to streambanks and shorelines	Stormwater Management and Erosion Control Plan. Sec. 10D6: Stream Corridor Management	2
3-09	Prevent discharges to waterbodies in amounts that would adversely affect the taste, color or odor of the waters, or would impair the waters for their best usages	Stormwater Management and Erosion Control Plan. Sec. 10B [runoff shall not have substantial visible contrast relative to color, taste, odor, turbidity and sediment deposition...]	2
<i>Wetlands and Riparian Area Management and Restoration</i>			
3-10	Consider wetlands and riparian areas and their non-point source (nps) control potential	Stormwater Management and Erosion Control, Sec 3 Purpose f: facilitate the removal of pollutants in stormwater runoff as to perpetuate the natural biological functions of streams Practice: guiding principle of SWCD operations, as exemplified in efforts in the field (Wetland Reserve Program) as well as education and outreach programs	2
3-11	Identify existing functions of those wetland and riparian areas with significant nps control potential when implementing nps management practices. Do not alter wetlands or riparian areas to improve their water quality at the expense of their other functions	Comp. Plan pg. 19 - NYSDEC and the Army Corps of Engineers regulate the development in and around wetlands. Stormwater Management and Erosion Control, Sec 3 Purpose f: facilitate the removal of pollutants in stormwater runoff as to perpetuate the natural biological functions of streams	2

Town of Bethany
Black and Oatka Watersheds

<i>BMP #</i>	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
3-12	Conduct permitting, licensing, certification and nonregulatory nps pollution activities in a manner that protects wetland functions		0
3-13	Special zoning considerations to protect wetland areas		0
3-14	Use appropriate pretreatment practices such as vegetated systems or detention or retention basins to prevent adverse impacts to wetland functions that affect nps pollution abatement from hydrologic changes, sedimentation, or contaminants		0
3-15	All projects should require wetlands certification.		0
Section 4: Recreation			
<i>Docks and Launches</i>			
4-01	Required site planning and approval for docks and launches		0
4-02	Use of naturally resistant non-treated wood for docks		0
4-03	Docks constructed to allow for free-flow of water beneath them to prevent erosion and sedimentation along shoreline		0
4-04	Limit size of docks		0
4-05	Maintenance of dock - application of preservatives and paints		0
4-06	Consideration of access to dock and launches to mitigate erosion		0
<i>Golf Courses</i>			
4-07	Pesticide storage - covered, locked concrete or steel building with adequate ventilation and metal shelving, no floor drains, and berm or sill to contain spills		0
4-08	Pesticide mixing and loading - use of chemical mixing center and proper operation and maintenance		0
4-09	Solvents and Degreasers - separate solvent collection systems such as solvent wash baths		0

Town of Bethany
Black and Oatka Watersheds

<i>BMP #</i>	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
4-10	Solvents and Degreasers - consideration of storage, use (contained), and disposal		0
4-11	Fertilizer Storage - covered fertilizer storage areas with curbs or berms to prevent water from entering. Secondary containment should be used even where not required		0
4-12	Fertilizer Loading: Make specific accommodations for fertilizer loading and mixing so that spills may be collected and managed. Examples include covered, impermeable surfaces intended for mixing; sloped surfaces that direct spills toward a liquid-tight sump for recovery; provision of appropriate cleaning materials, such as cat litter or sand.		0
4-13	Disposal of grass clippings: Grass clippings should remain on the surface in order to provide a natural source of organic matter and nutrients. If this is not preferred, clippings should be spread lightly in the rough or other unmanaged areas away from surface waters, outside of aquatic buffer zones.		0
4-14	Used Oil, antifreeze and lead acid batteries - collection and recycling		0
4-15	Gasoline, Diesel fuel - compliance with DEC regulations for above-ground and below ground tanks, closing of stormwater drains in immediate vicinity of fueling point		0
4-16	General Equipment Washing: Minimize the use of detergents or degreasers; high pressure systems are used to decrease water usage; If less than 500 gallons per day, wastewater from equipment washing may drain to a grassed retention area or swale away from receiving waterbodies; otherwise discharges should be directed to a municipal treatment system		0

Town of Bethany
Black and Oatka Watersheds

<i>BMP #</i>	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
4-17	Encourage use of vegetated buffers near aquatic areas, such as streams, ponds, lakes and wetlands		0
Section 5: Roads and Bridges <i>[incomplete pending conversation with Highway Superintendent]</i>			
<i>Existing Roads and Bridges</i>			
5-01	Conduct road and bridge maintenance (de-icing material usage and storage, pot-hole repair, bridge washing, scraping and painting, etc) according to best management practices		0
5-02	Conduct right-of-way activities (mowing, brush removal, pesticide and fertilizer use, etc) - according to best management practices		0
5-03	Include high percentage of indigenous plants in new landscaping on public-owned properties (excluding arboretums, horticultural gardens, and site requiring turf grasses)		0
5-04	Implement a regular inspection and maintenance plan of existing structures		0
5-05	Develop and identify erosion/sediment control areas (examples include steep slopes, easily erodible soils, and nearby sensitive areas) and retrofit opportunities		0
5-06	Incorporate alternatives to traditional de-icing practices, including adjusting mix rates, using non-salt and non-sand alternatives	According to the G/FLRPC Road Deicing and Storage Inventory, road salt storage is enclosed, mixed rates adjusted to a 2:1 salt/sand ratio; no alternatives tested	1
<i>New Roads and Bridges</i>			
5-07	Minimize the amount of land disturbed and the duration of disturbance		0
5-08	Preserve natural features and conform substantially with the natural boundaries and alignment of waterbodies	Comp Plan pg. 12. E - This plan is responsible for preserving the rural character of the land. See also pg. 13 - Land use plan is designed to protect environmental resources from the negative impacts of development. See also Stormwater Management and Erosion Control, Sec 3 Purpose c: maintain the integrity of stream geometry so as to sustain the hydrologic functions of streams...	2

Town of Bethany
Black and Oatka Watersheds

<i>BMP</i> #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
5-09	Retain and protect trees and other natural vegetation on and near disturbed sites	Stormwater Management and Erosion Control Plan, Sec. 10: Performance Standards, A: Existing vegetation shall be retained;	2
5-10	Retain additional runoff sites		0
5-11	Minimize the creation of impervious areas		0
5-12	Treat increased runoff caused by changed surface conditions to minimize the danger of flooding, erosion and pollutants entering waterbodies prior to, during and after construction		0
5-13	Use temporary vegetation and mulching to protect exposed and critical areas during development	Stormwater Management and Erosion Control Plan, Sec. 8 IV: Erosion and Sediment Control, [parts A and B describe the facilities that must be developed, both temp. and permanent]	2
5-14	Redistribute topsoil within the boundaries of the disturbed land for seeding and planting		0
5-15	Stabilize disturbed soils as soon as possible	Z.O. Art. III Sec 301.10, Excavation: In any construction, open excavations shall be limited to a maximum of sixty days, with appropriate fencing, barricades or covering Stormwater Management and Erosion Control Plan, Sec. 10: Performance Standards, D5: [all sites should be seeded and mulched...immediately]	2
5-16	Minimize the use of cut and fill operations. Conform such operations to topography and soils to minimize erosion potential and adequately accommodate runoff		0
5-17	Control erosion and sedimentation prior to, during and after site preparation and construction	Stormwater Management and Erosion Control Plan, Sec. 8 IV: Erosion and Sediment Control, [parts A and B describe the facilities that must be developed, both temp. and permanent]	2
5-18	Require long term stormwater management plan.		0
5-19	Require long term sedimentation control & maintenance.	Stormwater Management and Erosion Control Plan. Sec. 8 V: Schedule and Maintenance, A and B: [an implementation schedule and long-term maintainance plan must be submitted in the plan] Otherwise, Stormwater Phase II Pre/Post Regulations are required; SWCD will inspect implementation at the request of the DEC or constituent municipalities	2

Town of Bethany
Black and Oatka Watersheds

<i>BMP</i> #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
<i>All Roads and Bridges</i>			
5-20	Target existing public holdings, such as parks, for removing unnecessary impervious surfaces		0
5-21	Incorporate New York State Department of Transportation design and guidance documents, standard specifications, and procedural manuals (<i>Highway Design Manual, Environmental Procedures Manual, Maintenance Guidelines</i> , etc) into local laws and operating procedures		0
5-22	Ensure application of appropriate solid and hazardous waste generation and disposal practices including source controls and recycling	Z.O. Art II Sec. 208, Planning Board- K - Site plan must include a description of the proposed generation, storage and/or disposal of hazardous material and/or hazardous wastes on-site.	2
5-23	Ensure proper operation and maintenance of runoff management facilities	Stormwater Management and Erosion Control Plan. Sec. 8 V: Schedule and Maintenance, A and B: [an implementation schedule and long-term maintenance plan must be submitted in the plan]... See also Sec. 10D7, re: Maintenance	2
5-24	Participate in Cornell Local Roads Program activities and training		0
5-25	Target training programs at highway officials, contractors, construction workers, inspectors, zoning and planning officials		0
5-26	Target training and outreach programs about the proper handling of materials, leakage and spill prevention and spill response procedures at maintenance staff and workers		0
5-27	Culvert maintenance: Culverts are routinely inspected and maintained so that they will remain unobstructed, allowing for the free flow of water during storm events. Blockages resulting from sedimentation, debris, excessive vegetation and structural failure are issues to be aware of.		0

Town of Bethany
Black and Oatka Watersheds

<i>BMP</i> #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
5-28	Culvert sizing for existing land use	Stormwater Management and Erosion Control Plan, Sec. 8 III: Stormwater Management, B: Conveyance System, parts 1-3: describe the stormwater conveyance system in detail...identify materials to be used...show how erosion at culvert inlets and outfalls will be prevented...	2
5-29	Culvert sizing for changes in upstream land use and imperviousness	Stormwater Management and Erosion Control Plan, Sec. 8 Contents of Plan-Existing Conditions, b4: Where applicable...Show culverts downstream of project and culvert size. Show existing easements for storm drains, sewers, and other utilities. Show the extent of the drainage area served by a man-made stormwater drainage network if that net work system is collecting runoff from outside of the natural drainage basin... See also Part c, Proposed Future Development Conditions (sections 1-4)	2
Section 6: Onsite Wastewater Treatment Systems			
6-01	Conduct regular inspections of OWTS at a frequency adequate to determine failure and undertake required maintenance		0
6-02	Institute setback guidelines		0
6-03	Promulgate plumbing codes that require practices that are compatible with OWTS		0
6-04	Target outreach programs at homeowners, contractors and developers	Practice: Genesee County DOH, CCE, SWCD all offer various education and outreach materials and programs	2
6-05	Inspection of all OWTS at property transfer or within 1 year prior to transfer	Genesee County Sanitary Code: inspections performed when repairs, expansions or alterations take place; inspections performed when property transfers take place or upon request during refinancing	2
6-06	Require all properties within 500' of municipal service to connect.		0
6-07	Set goals for effluent limits (nitrogen, phosphorous, BOD, etc)		0