

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
Section 1: Development			
<i>Existing Developments</i>			
1-01	Identify retrofit opportunities such as addition of stormwater ponds to older developments or construction of wastewater treatment systems to replace older septic systems		0
1-02	Identify habitat and natural conveyance system restoration opportunities		0
1-03	Establish retention/detention areas		0
1-04	Acquire additional land for locating treatment facilities		0
1-05	Encourage homeowners to place compost piles away from waterbodies and roadways	Practice: 1999-2003 GLOW Composting Education Demonstration Sites set up with informational brochures	2
1-06	Encourage proper use and disposal of lawn and other household chemicals	Practice: 1995, 1999, 2003, 2006 GLOW Region Solid Waste Management Committee, in cooperation with GLOW Region Soil and Water Conservation, Farm Bureau and Cornell Cooperative Extension offices, farm pesticide collection programs; Household Hazardous Waste programs held regularly	2
1-07	Institute turf management practices on golf courses and parks and recreation areas		0
1-08	Undertake storm drain stenciling	Practice: conducted in both watersheds at various points in time; MS4s and stormdrains are relatively limited in rural towns, however	2
1-09	Encourage volunteer programs, such as adopt-a-highways and adopt-a-stream, etc.	Practice: Oatka/Black Creek Watershed Committee, Cornell Cooperative Extension and SWCD have various programs and volunteer efforts geared toward stream and ecosystem stewardship	2
1-10	Include high percentage of indigenous plants in new landscaping on privately-owned properties (excluding arboretums, horticultural gardens, and sites requiring turf grasses)	Practice: SWCD tree and shrub sale, occurs on an annual basis; hardy varieties of native species are provided to the public at low-cost	2
1-11	Encourage water conservation		0

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-12	Develop outreach programs targeted at specific problems related to water quality management & resource conservation	Practice: CCE, SWCD and the two watershed groups have been developing several distinct programs regarding water quality, including (but not limited to) septic system outreach, erosion and sediment control workshops, agricultural BMPs, watershed planning and household hazardous waste	2
1-13	Encourage proper control of pet wastes		0
1-14	Encourage continued operation of private storm water runoff control structures		0
1-15	Discourage feeding of waterfowl		0
1-16	Discourage the introduction of exotic aquatic species (Eurasian water milfoil, zebra mussels, water chestnut, loosestrife, hogweed, etc		0
1-17	Encourage continued (periodic) operation and maintenance of private septic disposal systems		0
1-18	Effective and consistent application and enforcement of stormwater regulations & requirements	S of L. pg.16. D - The Planning Board shall refer all residential subdivision proposals to the Genesee County Soil and Water Conservation District for their review as to the acceptability of proposed drainage, erosion and sediment control measures both during and after completion.	2
1-19	Require certification of existing on site septic systems for property transfers or building expansions.	Genesee County Sanitary Code: inspections performed when repairs, expansions or alterations take place; inspections performed when property transfers take place or upon request during refinancing	2
1-20	Require entire property (existing as well as proposed) to be included in stormwater analysis/calculation.	S of L. pg.16. D - The Planning Board shall refer all residential subdivision proposals to the Genesee County Soil and Water Conservation District for their review as to the acceptability of proposed drainage, erosion and sediment control measures both during and after completion. S of L. pg.22. 10 - Storm drainage plan indicating the location and size. Z.O. pg.88. j - Description of proposed measures to control runoff and drainage for the site and when required by NYS DEC and/or SEQR process, a Stormwater Management and Erosion Control Plan.	2
1-21	Use of drainage districts		0

New Development and Substantial Redevelopment

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-22	Minimize the amount of land disturbed and the duration of disturbance	Zoning, Sec. 402H: Excavation During Construction: In any construction, open excavations shall be limited to a maximum of sixty days, with appropriate fencing, barricades or covering.	2
1-23	Preserve natural features and conform substantially with the natural boundaries and alignment of waterbodies	S of L. Section 7 - Preserve the natural and scenic qualities of open lands. S of L. pg.17. 2 - Where a subdivision is traversed by a natural lake, pond or stream, the boundaries of the said watercourse shall be preserved.	2
1-24	Retain and protect trees and other natural vegetation on and near disturbed sites	S of L. pg.17. 6 - No tree with a diameter of eight inches or more shall be removed.	2
1-25	Account for topography and soil type in efforts to minimize erosion potential		0
1-26	Maintain runoff rates similar to pre-construction levels		0
1-27	Minimize the creation of impervious areas [encourage permeable surface]		0
1-28	Control increased runoff caused by changed surface conditions to minimize the danger of flooding, erosion, sedimentation and pollutants entering waterbodies prior to, during and after construction	S of L. pg.16. D - The Planning Board shall refer all residential subdivision proposals to the Genesee County Soil and Water Conservation District for their review as to the acceptability of proposed drainage, erosion and sediment control measures both during and after completion. Z.O. Sec. 808 Site Plan Review C.2. j - Description of proposed measures to control runoff and drainage for the site and when required by NYS DEC and/or SEQR process, a Stormwater Management and Erosion Control Plan.	2
1-29	Use temporary vegetation, silt barriers, and mulching to protect exposed and critical areas during development including timeline requirements (i.e. two weeks of no activity would need to be seeded)	Zoning, Sec 607 Commercial Excavation B8: All topsoil and subsoil shall be stripped from the excavation areas and stockpiled and seeded for use in accordance with the reclamation plan...such stockpiles shall be treated to minimize the effects of erosion.	1
1-30	Redistribute topsoil within the boundaries of the disturbed land for seeding and planting	S of L. pg.16. F - Topsoil moved during the course of construction shall be redistributed.	2
1-31	Stabilize disturbed soils as soon as possible	Zoning, Sec 607 Commercial Excavation B8: All topsoil and subsoil shall be stripped from the excavation areas and stockpiled and seeded for use in accordance with the reclamation plan...such stockpiles shall be treated to minimize the effects of erosion.	1

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-32	Minimize the use of cut and fill operations. Conform such operations to topography and soils to minimize erosion potential and adequately accommodate runoff		0
1-33	Use appropriate solid and hazardous waste generation and disposal practices including source controls and recycling	Z.O. Z.O. Sec. 808 Site Plan Review C.2. k - A description of the proposed generation, storage and disposal of hazardous material and/or hazardous waste on-site.	2
1-34	Encourage construction site management techniques which include erosion control practices (follow SWPPPs) and the proper handling and disposal of pesticides and petroleum products and containers	Zoning, Section 607 Commercial Excavation, parts A and B [regarding major and minor excavations, minor excavations require a special use permit requiring erosion plans to be written and submitted to the Genesee County SWCD for review] see also Z.O. Sec. 808 Site Plan Review C.2. j - Description of proposed measures to control runoff and drainage for the site and when required by NYS DEC and/or SEQOR process, a Stormwater Management and Erosion Control Plan. S of L. pg.16. D - The Planning Board shall refer all residential subdivision proposals to the Genesee County Soil and Water Conservation District for their review as to the acceptability of proposed drainage, erosion and sediment control measures both during and after completion. S of L. pg.22. 10 - Storm drainage plan indicating the location and size.	2
1-35	Ensure proper operation and maintenance of runoff management facilities	S of L. pg.16. D - The Planning Board shall refer all residential subdivision proposals to the Genesee County Soil and Water Conservation District for their review as to the acceptability of proposed drainage, erosion and sediment control measures both during and after completion...All easements deemed necessary to maintain either natural or main made storm water drainage, erosion and/ or sediment control measures shall be provided and plotted accordingly...	2
1-36	Target training for contractors, developers, inspectors and zoning and planning officials.		0
1-37	Require tree surveys and/or cutting plans.	Subdivision, Section 2 Design Standards, F.6: No tree with a diameter of eight inches or more...shall be removed...Removal of additional trees shall be subject to approval of the Planning Board.	2
1-38	Develop priority list for BMP's - use of vegetative low areas for retention/infiltration.		0

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-39	Encourage cluster development/conservation subdivisions	Z.O. Section 608 - Cluster Development may be permitted.	2
1-40	Require connection to and/or extension of existing water & sewer if project is within 500 feet of existing infrastructure	S of L. Article V Section 1.E: Wastewater disposal systems. See also pg.22. 10 - Connection to existing lines.	2
1-41	Enact limits on driveway grades.		0
1-42	For redevelopment, employ regulations that provide for technologically advanced (on and off) site wastewater treatment systems to optimize efficiencies and address "challenging" sites		0
1-43	Implement Federal/State Stormwater (SPDES) Phase II requirements including MS4 and Construction Permits as well as Municipal and Industrial Discharge Permits	Practice: Construction site and Construction Permit inspection conducted by the county SWCD at the request of NYSDEC; G/FLRPC continues to assist municipalities with other aspects of Phase II Stormwater compliance	2
1-44	Discourage development in flood plain and/or development below base flood elevation	S of L. pg.15. B.6 - Where there is a question as to the suitability of the land due to factors such as flooding, the Planning Board may withhold approval of such lots. S of L. pg.17. G.2 - Land subject to flooding shall not be platted for occupancy. Z.O. Section 401 E - Lots under Water or Subject to Flooding may be excluded for development.	2
Section 2: Forestry and Agriculture			
<i>Forestry</i>			
2-01	Consider potential water quality impacts when selecting silviculture system (yarding system, site preparation, pesticides employment, etc)		0
2-02	Consider harvesting practices	Practice: SWCD encourages good woodland management and proper harvesting techniques to maintain present and meet future needs in cooperation with NYSDEC state foresters, and the Genesee County Park and Forest; also, a display at the County Park is being considered that can describe different woodlot management approaches	2
2-03	Seasonal preference for logging operations		0

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
2-04	Have specialists (geologist, soil scientist, geotechnical engineer, wildland hydrologist) review plans in high erosion hazard areas		0
2-05	Preplan harvest areas, skid trails, and access so as to be on stable soils, avoiding steep gradients, multiple stream crossings, poor drainage areas, etc.		0
2-06	Limit grades of access roads.		0
2-07	Require stabilization of roads/drives to forestry site.		0
2-08	Employ natural topography and contour for design of road network		0
2-09	Require stormwater controls for increased runoff from ground cover modification		0
2-10	Consider site restoration		0
<i>Agriculture</i>			
2-11	Use Agricultural Environmental Management (AEM)	Practice: See county SWCD AEM Five Year Plan	2
2-12	Require farms seeking agricultural value assessment to participate in AEM	Does not apply: Legality of such a practice questioned by regional SWCD managers	n/a
2-13	Concentrated Animal Feeding Operations (CAFO) regulations and permits being followed	Practice: See county SWCD AEM Five Year Plan	2
2-14	Use of Comprehensive Nutrient Management Plans	Practice: The latest NYS Ag and Markets Comprehensive Nutrient Planning Grant through the Ag Nonpoint Source Abatement program consists of cost sharing for the development of CNMPs for 18 farms in the Oatka Crekk watershed, 12 in Wyoming County, 5 in Genesee County and 1 in Monroe County	2
2-15	Barnyard runoff controls	Zoning, Sec. 409 Stabling Farm Animals A: There shall be no stabling of farm animals or storage of manure, fertilizer, or similar odor or dust producing substance within the C District unless a suitable site plan has been approved by the Planning Board. See also Section 618 Animal Waste Storage Facilities. see also 2-14 See Also: Most recently, Barnyard Runoff Management Systems and other operational BMPs were implemented on farms in Ogden(2), Wheatland(1), LeRoy(3), Pavilion(2), Byron(1), Warsaw(5), Covington(3), Orangeville(1), and Middlebury(1) through the Genesee River Implementatin Grant project	2

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
2-16	Grazing in environmentally sensitive areas (e.g. streams)	Practice: Caring for Creeks, EPF Ag NPS Abatement grants	2
2-17	Use of agricultural protection such as Agricultural Districts, agricultural preservation ordinances and practices, right to farm laws, and Agricultural and Farmland Protection Plans	Z.O. Section 501 and 502 - Ag. Districts designed to accommodate primarily agricultural uses in order to preserve the Town's agricultural base and maintain its rural nature. County Agricultural and Farmland Protection Plan under production.	2
2-18	Existing Open Space Plans	Genesee County Smart Growth Plan, 2005 Review Report, page 7: Purpose of the plan is to minimize the impacts from additional growth and development that would otherwise occur as a result of the extension of water service.	2
Section 3: Waterways and Wetlands			
<i>Modified Waterways</i>			
3-01	Develop an operation and maintenance program for existing modified streams that includes identification of opportunities and actions to restore habitat and the physical and chemical characteristics of these streams.		0
3-02	Improve stream quality by controlling instream sedimentation and selectively clearing debris	Practice: highway department has conducted such activities working closely with SWCD and DEC	2
3-03	Establish or reestablish riparian buffers	Practice: SWCD works in conjunction with land owners, farmers in particular, implementing federally-funded programs	2
3-04	Prevent animal wastes from entering waterbodies. Examples may include: animal control ordinances and/or practices that pertain to animal waste disposal; waterfowl abatement programs.	Practice: SWCD/NRCS implementing AEM, comprehensive nutrient management plans, bunker storage systems, etc.	2
3-05	Attempt vegetative stabilization before undertaking structural measures	Practice: SWCD has used vegetated systems, such as downed trees and logs, to stabilize severely eroded banks	2
3-06	Schedule the periodic maintenance of sediment control measures, and inspect and repair them as needed in conformance with established schedule.	Practice: SWCD is always looking for opportunities to devise check dams; maintains several that are in operation	2

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
3-07	Protect streambanks through direct nonstructural means, such as new vegetation or protection of existing vegetation; direct structural means, such as revetments and bulkheads; indirect nonstructural means, such as regulating irrigation near streambanks or rerouting overbank drainage; or indirect structural means, such as deflecting channel flow away from streambanks with dikes, board fences and gabions	Practice: also SWCD has used vegetated systems, such as downed trees and logs, to stabilize severely eroded banks	2
3-08	Use setbacks to minimize disturbance of land adjacent to streambanks and shorelines		0
3-09	Prevent discharges to waterbodies in amounts that would adversely affect the taste, color or odor of the waters, or would impair the waters for their best usages	Zoning, Sec 607 Commercial Excavation B4: Drainage: All surface drainage and any waste matter shall be controlled to prevent any silt, waste products, process residues, etc. from flowing...into any stream.	1
<i>Wetlands and Riparian Area Management and Restoration</i>			
3-10	Consider wetlands and riparian areas and their non-point source (nps) control potential	Practice: guiding principle of SWCD operations, as exemplified in efforts in the field (Wetland Reserve Program) as well as education and outreach programs	2
3-11	Identify existing functions of those wetland and riparian areas with significant nps control potential when implementing nps management practices. Do not alter wetlands or riparian areas to improve their water quality at the expense of their other functions		0
3-12	Conduct permitting, licensing, certification and nonregulatory nps pollution activities in a manner that protects wetland functions		0
3-13	Special zoning considerations to protect wetland areas		0

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
3-14	Use appropriate pretreatment practices such as vegetated systems or detention or retention basins to prevent adverse impacts to wetland functions that affect nps pollution abatement from hydrologic changes, sedimentation, or contaminants		0
3-15	All projects should require wetlands certification.		0
Section 4: Recreation			
<i>Docks and Launches</i>			
4-01	Required site planning and approval for docks and launches		0
4-02	Use of naturally resistant non-treated wood for docks		0
4-03	Docks constructed to allow for free-flow of water beneath them to prevent erosion and sedimentation along shoreline		0
4-04	Limit size of docks		0
4-05	Maintenance of dock - application of preservatives and paints		0
4-06	Consideration of access to dock and launches to mitigate erosion		0
<i>Golf Courses</i>			
4-07	Pesticide storage - covered, locked concrete or steel building with adequate ventilation and metal shelving, no floor drains, and berm or sill to contain spills		0
4-08	Pesticide mixing and loading - use of chemical mixing center and proper operation and maintenance		0
4-09	Solvents and Degreasers - separate solvent collection systems such as solvent wash baths		0
4-10	Solvents and Degreasers - consideration of storage, use (contained), and disposal		0

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
4-11	Fertilizer Storage - covered fertilizer storage areas with curbs or berms to prevent water from entering. Secondary containment should be used even where not required		0
4-12	Fertilizer Loading: Make specific accommodations for fertilizer loading and mixing so that spills may be collected and managed. Examples include covered, impermeable surfaces intended for mixing; sloped surfaces that direct spills toward a liquid-tight sump for recovery; provision of appropriate cleaning materials, such as cat litter or sand.		0
4-13	Disposal of grass clippings: Grass clippings should remain on the surface in order to provide a natural source of organic matter and nutrients. If this is not preferred, clippings should be spread lightly in the rough or other unmanaged areas away from surface waters, outside of aquatic buffer zones.		0
4-14	Used Oil, antifreeze and lead acid batteries - collection and recycling		0
4-15	Gasoline, Diesel fuel - compliance with DEC regulations for above-ground and below ground tanks, closing of stormwater drains in immediate vicinity of fueling point		0
4-16	General Equipment Washing: Minimize the use of detergents or degreasers; high pressure systems are used to decrease water usage; If less than 500 gallons per day, wastewater from equipment washing may drain to a grassed retention area or swale away from receiving waterbodies; otherwise discharges should be directed to a municipal treatment system		0
4-17	Encourage use of vegetated buffers near aquatic areas, such as streams, ponds, lakes and wetlands		0

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
Section 5: Roads and Bridges			
<i>Existing Roads and Bridges</i>			
5-01	Conduct road and bridge maintenance (de-icing material usage and storage, pot-hole repair, bridge washing, scraping and painting, etc) according to best management practices	Practice: road salt storage enclosed, other basic BMPs are practiced by the department	2
5-02	Conduct right-of-way activities (mowing, brush removal, pesticide and fertilizer use, etc) - according to best management practices	Practice: no pesticides used, vegetation maintained near waterways, etc.	2
5-03	Include high percentage of indigenous plants in new landscaping on public-owned properties (excluding arboretums, horticultural gardens, and site requiring turf grasses)	Does not apply	n/a
5-04	Implement a regular inspection and maintenance plan of existing structures	Practice: visual inspection takes place; repairs are then done in conjunction with paving, which occurs on a rotating basis	1
5-05	Develop and identify erosion/sediment control areas (examples include steep slopes, easily erodible soils, and nearby sensitive areas) and retrofit opportunities	Practice: some ditch stabilization, which included using rip rap, etc.; check dams have been installed in certain locations	2
5-06	Incorporate alternatives to traditional de-icing practices, including adjusting mix rates, using non-salt and non-sand alternatives	Practice: alternatives have been tried in the past, but they are not cost effective; 1:1 salt sand is currently used	2
<i>New Roads and Bridges (Road Rehabilitation Only)</i>			
5-07	Minimize the amount of land disturbed and the duration of disturbance	Zoning, Sec. 402H: Excavation During Construction: In any construction, open excavations shall be limited to a maximum of sixty days, with appropriate fencing, barricades or covering.	2
5-08	Preserve natural features and conform substantially with the natural boundaries and alignment of waterbodies	S of L. Section 7 - Preserve the natural and scenic qualities of open lands. S of L. pg.17. 2 - Where a subdivision is traversed by a natural lake, pond or stream, the boundaries of the said watercourse shall be preserved.	2
5-09	Retain and protect trees and other natural vegetation on and near disturbed sites	S of L. pg.17. 6 - No tree with a diameter of eight inches or more shall be removed.	2
5-10	Retain additional runoff sites		0

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
5-11	Minimize the creation of impervious areas		0
5-12	Treat increased runoff caused by changed surface conditions to minimize the danger of flooding, erosion and pollutants entering waterbodies prior to, during and after construction		0
5-13	Use temporary vegetation and mulching to protect exposed and critical areas during development	Practice: hay is generally used when the situation calls for it.	2
5-14	Redistribute topsoil within the boundaries of the disturbed land for seeding and planting	S of L. pg.16. F - Topsoil moved during the course of construction shall be redistributed.	2
5-15	Stabilize disturbed soils as soon as possible	Zoning, Sec 607 Commercial Excavation B8: All topsoil and subsoil shall be stripped from the excavation areas and stockpiled and seeded for use in accordance with the reclamation plan...such stockpiles shall be treated to minimize the effects of erosion.	2
5-16	Minimize the use of cut and fill operations. Conform such operations to topography and soils to minimize erosion potential and adequately accommodate runoff	Does not apply	n/a
5-17	Control erosion and sedimentation prior to, during and after site preparation and construction		0
5-18	Require long term stormwater management plan.		0
5-19	Require long term sedimentation control & maintenance.	Practice: Stormwater Phase II Pre/Post Regulations are required; SWCD will inspect implementation at the request of the DEC or constituent municipalities	1
<i>All Roads and Bridges</i>			
5-20	Target existing public holdings, such as parks, for removing unnecessary impervious surfaces		0

Town of Pavilion
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
5-21	Incorporate New York State Department of Transportation design and guidance documents, standard specifications, and procedural manuals (<i>Highway Design Manual, Environmental Procedures Manual, Maintenance Guidelines, etc</i>) into local laws and operating procedures		0
5-22	Ensure application of appropriate solid and hazardous waste generation and disposal practices including source controls and recycling	Z.O. Sec. 808 Site Plan Review C.2. k - A description of the proposed generation, storage and disposal of hazardous material and/or hazardous waste on-site.	2
5-23	Ensure proper operation and maintenance of runoff management facilities	S of L. pg.16. D - The Planning Board shall refer all residential subdivision proposals to the Genesee County Soil and Water Conservation District for their review as to the acceptability of proposed drainage, erosion and sediment control measures both during and after completion...All easements deemed necessary to maintain either natural or main made storm water drainage, erosion and/ or sediment control measures shall be provided and plotted accordingly...	2
5-24	Participate in Cornell Local Roads Program activities and training	Practice: attend as needed	2
5-25	Target training programs at highway officials, contractors, construction workers, inspectors, zoning and planning officials		0
5-26	Target training and outreach programs about the proper handling of materials, leakage and spill prevention and spill response procedures at maintenance staff and workers		0
5-27	Culvert maintenance: Culverts are routinely inspected and maintained so that they will remain unobstructed, allowing for the free flow of water during storm events. Blockages resulting from sedimentation, debris, excessive vegetation and structural failure are issues to be aware of.	Practice: culverts are routinely inspected visually	2
5-28	Culvert sizing for existing land use		0
5-29	Culvert sizing for changes in upstream land use and imperviousness		0

Town of Pavilion
Oatka Creek Watershed

<i>BMP</i> #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
Section 6: Onsite Wastewater Treatment Systems			
6-01	Conduct regular inspections of OWTS at a frequency adequate to determine failure and undertake required maintenance		0
6-02	Institute setback guidelines		0
6-03	Promulgate plumbing codes that require practices that are compatible with OWTS		0
6-04	Target outreach programs at homeowners, contractors and developers	Practice: Genesee County DOH, CCE, SWCD all offer various education and outreach materials and programs	2
6-05	Inspection of all OWTS at property transfer or within 1 year prior to transfer	Genesee County Sanitary Code: inspections performed when repairs, expansions or alterations take place; inspections performed when property transfers take place or upon request during refinancing	2
6-06	Require all properties within 500' of municipal service to connect.		0
6-07	Set goals for effluent limits (nitrogen, phosphorous, BOD, etc)		0