

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
<b>Section 1: Development</b>			
<i>Existing Developments</i>			
1-01	Identify retrofit opportunities such as addition of stormwater ponds to older developments or construction of wastewater treatment systems to replace older septic systems		0
1-02	Identify habitat and natural conveyance system restoration opportunities		0
1-03	Establish retention/detention areas		0
1-04	Acquire additional land for locating treatment facilities		0
1-05	Encourage homeowners to place compost piles away from waterbodies and roadways	<b>Practice:</b> 1999-2003 GLOW Composting Education Demonstration Sites set up with informational brochures	2
1-06	Encourage proper use and disposal of lawn and other household chemicals	<b>Practice:</b> 1995, 1999, 2003, 2006 GLOW Region Solid Waste Management Committee, in cooperation with GLOW Region Soil and Water Conservation, Farm Bureau and Cornell Cooperative Extension offices, farm pesticide collection programs; Household Hazardous Waste programs held regularly	2
1-07	Institute turf management practices on golf courses and parks and recreation areas		0
1-08	Undertake storm drain stenciling	<b>Practice:</b> conducted in both watersheds at various points in time; MS4s and stormdrains are relatively limited in upper reaches and in rural towns, however	2
1-09	Encourage volunteer programs, such as adopt-a-highways and adopt-a-stream, etc.	<b>Practice:</b> Oatka Creek Watershed Committee, Cornell Cooperative Extension and SWCD have various programs and volunteer efforts geared toward stream and ecosystem stewardship	2
1-10	Include high percentage of indigenous plants in new landscaping on privately-owned properties (excluding arboretums, horticultural gardens, and sites requiring turf grasses)	<b>Practice:</b> SWCD tree and shrub sale, occurs on an annual basis; hardy varieties of native species are provided to the public at low-cost	2
1-11	Encourage water conservation		0

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-12	Develop outreach programs targeted at specific problems related to water quality management & resource conservation	<b>Practice:</b> CCE, SWCD and the two watershed groups have been developing several distinct programs regarding water quality, including (but not limited to) septic system outreach, erosion and sediment control workshops, agricultural BMPs, watershed planning and household hazardous waste	2
1-13	Encourage proper control of pet wastes	<b>Town of Covington Local Law #1 for the year 2001, Section 7:</b> "...The owner shall be responsible for the immediate cleanup an any excrement deposited by their animals..."	2
1-14	Encourage continued operation of private storm water runoff control structures		0
1-15	Discourage feeding of waterfowl		0
1-16	Discourage the introduction of exotic aquatic species (Eurasian water milfoil, zebra mussels, water chestnut, loosestrife, hogweed, etc		0
1-17	Encourage continued (periodic) operation and maintenance of private septic disposal systems	<b>Practice:</b> SWCD recently conducted a county-wide program geared toward residential maintenance of systems; CCE have conducted programs in the past	2
1-18	Effective and consistent application and enforcement of stormwater regulations & requirements	<b>Town of Covington Subdivision , Article IV, Design Standards, Section 2(D):</b> The Planning Board shall refer all residential subdivision proposals to the Wyoming County Soil and Water Conservation District and/or Town Engineer, for their review as to the acceptability of proposed drainage, erosion and sediment control measures both during construction phases and after completion.	2
1-19	Require certification of existing on site septic systems for property transfers or building expansions.	Wyoming County Health Dept--Inspections at property transfer, refinance and/or expansion	2
1-20	Require entire property (existing as well as proposed) to be included in stormwater analysis/calculation.	<b>Zoning, Article V Sec. 502(O):</b> All construction plans shall include consideration of storm water drainage needs.	2
1-21	Use of drainage districts		0
<i>New Development and Substantial Redevelopment</i>			
1-22	Minimize the amount of land disturbed and the duration of disturbance		0

**Town of Covington**  
Oatka Creek Watershed

<i>BMP #</i>	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-23	Preserve natural features and conform substantially with the natural boundaries and alignment of waterbodies	<b>Zoning, Article V, Section 501C:</b> Whenever natural features such as trees, brooks, drainage channels and views interfere with the proposed use of property, the retention of the maximum amount of such features consistent with the intended use of the property shall be encouraged. <b>Town of Covington Subdivision , Article IV, Design Standards, Section 2(F), Preservation of Natural Features (2):</b> Where a subdivision is traversed by a natural lake, pond or stream, the boundaries or alignment of said watercourse shall be preserved... <b>Town of Covington Subdivision , Article IV, Design Standards, Section 2(F), Preservation of Natural Features (3):</b> Unique physical features such as historic landmarks and sites, rock outcroppings, hilltop lookouts, desirable natural contours, and similar features shall be preserved...	2
1-24	Retain and protect trees and other natural vegetation on and near disturbed sites	<b>Town of Covington Subdivision , Article IV, Design Standards, Section 2(F), Preservation of Natural Features (6):</b> No tree with a diameter of eight inches or more as measured three feet above the base of the trunk shall be removed unless the tree is within the right of way of a street...	2
1-25	Account for topography and soil type in efforts to minimize erosion potential		0
1-26	Maintain runoff rates similar to pre-construction levels		0
1-27	Minimize the creation of impervious areas [encourage permeable surface]		0
1-28	Control increased runoff caused by changed surface conditions to minimize the danger of flooding, erosion, sedimentation and pollutants entering waterbodies prior to, during and after construction		0
1-29	Use temporary vegetation, silt barriers, and mulching to protect exposed and critical areas during development including timeline requirements (i.e. two weeks of no activity would need to be seeded)		0

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-30	Redistribute topsoil within the boundaries of the disturbed land for seeding and planting	<b>Town of Covington Subdivision , Article IV, Design Standards, Section 2(F), Preservation of Natural Features (1):</b> Topsoil moved during the course of construction shall be redistributed so as to provide a minimum depth of six inches of cover to all areas of the subdivision and shall be stabilized by seeding or planting.	2
1-31	Stabilize disturbed soils as soon as possible	<b>Town of Covington Subdivision , Article IV, Design Standards, Section 2(F), Preservation of Natural Features (4):</b> All surfaces, including hills or mounds of dirt, shall be removed and/or restored within six months of the time of the completion.	2
1-32	Minimize the use of cut and fill operations. Conform such operations to topography and soils to minimize erosion potential and adequately accommodate runoff		0
1-33	Use appropriate solid and hazardous waste generation and disposal practices including source controls and recycling		0
1-34	Encourage construction site management techniques which include erosion control practices (follow SWPPPs) and the proper handling and disposal of pesticides and petroleum products and containers	<b>Town of Covington Subdivision , Article IV, Design Standards, Section 2(D):</b> The Planning Board shall refer all residential subdivision proposals to the Wyoming County Soil and Water Conservation District and/or Town Engineer, for their review as to the acceptability of proposed drainage, erosion and sediment control measures both during construction phases and after completion.	2
1-35	Ensure proper operation and maintenance of runoff management facilities		0
1-36	Target training for contractors, developers, inspectors and zoning and planning officials.	<b>Practice:</b> SWCD "Implementing Erosion and Sediment Control BMP's" workshop March of 2006	2
1-37	Require tree surveys and/or cutting plans.		0
1-38	Develop priority list for BMP's - use of vegetative low areas for retention/infiltration.		0
1-39	Encourage cluster development/conservation subdivisions	<b>Zoning, Article XI, Section 1113: Cluster Residential Development</b>	2

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-40	Require connection to and/or extension of existing water & sewer if project is within 500 feet of existing infrastructure		0
1-41	Enact limits on driveway grades.		0
1-42	For redevelopment, employ regulations that provide for technologically advanced (on and off) site wastewater treatment systems to optimize efficiencies and address "challenging" sites		0
1-43	Implement Federal/State Stormwater (SPDES) Phase II requirements including MS4 and Construction Permits as well as Municipal and Industrial Discharge Permits	<b>Construction site and Construction Permit inspection conducted by the county SWCD at the request of NYSDEC; G/FLRPC continues to assist municipalities with other aspects of Phase II Stormwater compliance</b>	2
1-44	Discourage development in flood plain and/or development below base flood elevation	<b>Town of Covington Local Law #2 of the year 1983.</b> A local law to adopt flood plain management measures. And Town of Covington Local Law #2 of the year 1987: A local law for flood damage prevention.	2
<b>Section 2: Forestry and Agriculture</b>			
<i>Forestry</i>			
2-01	Consider potential water quality impacts when selecting silviculture system (yarding system, site preparation, pesticides employment, etc)		0
2-02	Consider harvesting practices	<b>Practice:</b> SWCD in conjunction with DEC offers woodlot management outreach services to land owners	2
2-03	Seasonal preference for logging operations		0
2-04	Have specialists (geologist, soil scientist, geotechnical engineer, wildland hydrologist) review plans in high erosion hazard areas		0
2-05	Preplan harvest areas, skid trails, and access so as to be on stable soils, avoiding steep gradients, multiple stream crossings, poor drainage areas, etc.		0
2-06	Limit grades of access roads.		0
2-07	Require stabilization of roads/drives to forestry site.		0

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
2-08	Employ natural topography and contour for design of road network		0
2-09	Require stormwater controls for increased runoff from ground cover modification		0
2-10	Consider site restoration		0
<i>Agriculture</i>			
2-11	Use Agricultural Environmental Management (AEM)	<b>Practice:</b> See county SWCD AEM Five Year Plan	2
2-12	Require farms seeking agricultural value assessment to participate in AEM	<b>Does not apply:</b> Legality of such a practice questioned by regional SWCD managers	n/a
2-13	Concentrated Animal Feeding Operations (CAFO) regulations and permits being followed	Permit enforced by NYSDEC; See also county SWCD AEM Five Year Plan	2
2-14	Use of Comprehensive Nutrient Management Plans	<b>Town of Covington Zoning Regulations, Article X, Supplementary Regulations, Section 1006, Animal Waste Storage Facilities:</b> [details construction specifications, spreading practices, and NRCS approval, etc] <b>Practice:</b> The latest NYS Ag and Markets Comprehensive Nutrient Planning Grant through the Ag Nonpoint Source Abatement program consists of cost sharing for the development of CNMPs for 18 farms in the Oatka Creek watershed, 12 in Wyoming County, 5 in Genesee County and 1 in Monroe County	2
2-15	Barnyard runoff controls	<b>Practice:</b> Most recently, Barnyard Runoff Management Systems and other operational BMPs were implemented on farms in Ogden(2), Wheatland(1), LeRoy(3), Pavilion(2), Byron(1), Warsaw(5), Covington(3), Orangeville(1), and Middlebury(1) through the Genesee River Implementatin Grant project	2
2-16	Grazing in environmentally sensitive areas (e.g. streams)	<b>Practice:</b> Caring for Creeks, EPF Ag NPS Abatement grants	2
2-17	Use of agricultural protection such as Agricultural Districts, agricultural preservation ordinances and practices, right to farm laws, and Agricultural and Farmland Protection Plans	<b>Ag. Districts Present; Zoning, Article IX Sec. 901 Agricultural District. County Agricultural Preservation Plan completed in 2006</b>	2
2-18	Existing Open Space Plans		0
<b>Section 3: Waterways and Wetlands</b>			
<i>Modified Waterways</i>			

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
3-01	Develop an operation and maintenance program for existing modified streams that includes identification of opportunities and actions to restore habitat and the physical and chemical characteristics of these streams.		0
3-02	Improve stream quality by controlling instream sedimentation and selectively clearing debris	<b>Practice:</b> SWCD has inventoried entire section of the Oatka Creek and has identified 43 locations for tree removal	2
3-03	Establish or reestablish riparian buffers	<b>Zoning, Article V, Section 501A:</b> No structure shall be built within fifty feet of the bed of a stream... <b>Practice:</b> SWCD works in conjunction with land owners, farmers in particular	2
3-04	Prevent animal wastes from entering waterbodies. Examples may include: animal control ordinances and/or practices that pertain to animal waste disposal; waterfowl abatement programs.	<b>Practice:</b> SWCD/NRCS comprehensive nutrient management plans, bunker storage systems, etc.	2
3-05	Attempt vegetative stabilization before undertaking structural measures	<b>Practice:</b> SWCD has used vegetated systems, such as downed trees and logs, to stabilize severely eroded banks	2
3-06	Schedule the periodic maintenance of sediment control measures, and inspect and repair them as needed in conformance with established schedule.	<b>Practice:</b> SWCD is always looking for opportunities to devise check dams; maintains several that are in operation	2
3-07	Protect streambanks through direct nonstructural means, such as new vegetation or protection of existing vegetation; direct structural means, such as revetments and bulkheads; indirect nonstructural means, such as regulating irrigation near streambanks or rerouting overbank drainage; or indirect structural means, such as deflecting channel flow away from streambanks with dikes, board fences and gabions	<b>Practice:</b> SWCD has used vegetated systems, such as downed trees and logs, to stabilize severely eroded banks; other innovative approaches are developed on a case-by-case, site-specific basis	2
3-08	Use setbacks to minimize disturbance of land adjacent to streambanks and shorelines		0

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
3-09	Prevent discharges to waterbodies in amounts that would adversely affect the taste, color or odor of the waters, or would impair the waters for their best usages		0
<i>Wetlands and Riparian Area Management and Restoration</i>			
3-10	Consider wetlands and riparian areas and their non-point source (nps) control potential	<b>Practice:</b> guiding principle of SWCD operations, as exemplified in efforts in the field as well as education and outreach programs	2
3-11	Identify existing functions of those wetland and riparian areas with significant nps control potential when implementing nps management practices. Do not alter wetlands or riparian areas to improve their water quality at the expense of their other functions		0
3-12	Conduct permitting, licensing, certification and nonregulatory nps pollution activities in a manner that protects wetland functions		0
3-13	Special zoning considerations to protect wetland areas		0
3-14	Use appropriate pretreatment practices such as vegetated systems or detention or retention basins to prevent adverse impacts to wetland functions that affect nps pollution abatement from hydrologic changes, sedimentation, or contaminants		0
3-15	All projects should require wetlands certification.		0
<b>Section 4: Recreation</b> <i>[incomplete pending conversation with DPW superintendent]</i>			
<i>Docks and Launches</i>			
4-01	Required site planning and approval for docks and launches		n/a
4-02	Use of naturally resistant non-treated wood for docks		n/a
4-03	Docks constructed to allow for free-flow of water beneath them to prevent erosion and sedimentation along shoreline		n/a
4-04	Limit size of docks		n/a

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
4-05	Maintenance of dock - application of preservatives and paints		n/a
4-06	Consideration of access to dock and launches to mitigate erosion		n/a
<i>Golf Courses</i>			
4-07	Pesticide storage - covered, locked concrete or steel building with adequate ventilation and metal shelving, no floor drains, and berm or sill to contain spills		0
4-08	Pesticide mixing and loading - use of chemical mixing center and proper operation and maintenance		0
4-09	Solvents and Degreasers - separate solvent collection systems such as solvent wash baths		0
4-10	Solvents and Degreasers - consideration of storage, use (contained), and disposal		0
4-11	Fertilizer Storage - covered fertilizer storage areas with curbs or berms to prevent water from entering. Secondary containment should be used even where not required		0
4-12	Fertilizer Loading: Make specific accommodations for fertilizer loading and mixing so that spills may be collected and managed. Examples include covered, impermeable surfaces intended for mixing; sloped surfaces that direct spills toward a liquid-tight sump for recovery; provision of appropriate cleaning materials, such as cat litter or sand.		0
4-13	Disposal of grass clippings: Grass clippings should remain on the surface in order to provide a natural source of organic matter and nutrients. If this is not preferred, clippings should be spread lightly in the rough or other unmanaged areas away from surface waters, outside of aquatic buffer zones.		0

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
4-14	Used Oil, antifreeze and lead acid batteries - collection and recycling		0
4-15	Gasoline, Diesel fuel - compliance with DEC regulations for above-ground and below ground tanks, closing of stormwater drains in immediate vicinity of fueling point		0
4-16	General Equipment Washing: Minimize the use of detergents or degreasers; high pressure systems are used to decrease water usage; If less than 500 gallons per day, wastewater from equipment washing may drain to a grassed retention area or swale away from receiving waterbodies; otherwise discharges should be directed to a municipal treatment system		0
4-17	Encourage use of vegetated buffers near aquatic areas, such as streams, ponds, lakes and wetlands		0
<b>Section 5: Roads and Bridges</b>			
<i>Existing Roads and Bridges</i>			
5-01	Conduct road and bridge maintenance (de-icing material usage and storage, pothole repair, bridge washing, scraping and painting, etc) according to best management practices	<b>Practice:</b> BMPs are used when and where feasible, although the department undertakes very limited operations; road salt storage enclosed; use of pesticides is very limited, never used near waterbodies, etc.	2
5-02	Conduct right-of-way activities (mowing, brush removal, pesticide and fertilizer use, etc) - according to best management practices	<b>Practice:</b> Minimum area disturbed when excavating ditches; seeded as appropriate; pesticides rarely used; few steep slopes in the town--problem areas have been lined with rip-rap for long term stabilization	2
5-03	Include high percentage of indigenous plants in new landscaping on public-owned properties (excluding arboretums, horticultural gardens, and site requiring turf grasses)	<b>Does not apply;</b> town does not commonly undertake landscaping activities	n/a
5-04	Implement a regular inspection and maintenance plan of existing structures	<b>Practice:</b> No such structures; culverts are the only conveyance structures within jurisdiction, which do undergo regular inspections	1

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
5-05	Develop and identify erosion/sediment control areas (examples include steep slopes, easily erodible soils, and nearby sensitive areas) and retrofit opportunities	<b>Practice:</b> Due to topography, there are no chronic issues; those issues that exist were addressed by engineering many years ago; there are some areas where gabion fencing and rip-rap have been used to stabilize road banks and ditches, which has been effective.	2
5-06	Incorporate alternatives to traditional de-icing practices, including adjusting mix rates, using non-salt and non-sand alternatives	<b>Practice:</b> Calcium chloride has been tested in the past, but is not currently used; straight salt is the preferred method used by the town.	2
<i>New Roads and Bridges (Road Rehabilitation Only)</i>			
5-07	Minimize the amount of land disturbed and the duration of disturbance	<b>Practice</b>	2
5-08	Preserve natural features and conform substantially with the natural boundaries and alignment of waterbodies	<b>Practice</b>	2
5-09	Retain and protect trees and other natural vegetation on and near disturbed sites	<b>Practice</b>	2
5-10	Retain additional runoff sites		0
5-11	Minimize the creation of impervious areas		0
5-12	Treat increased runoff caused by changed surface conditions to minimize the danger of flooding, erosion and pollutants entering waterbodies prior to, during and after construction	<b>Practice:</b> Basic measures are taken if and when necessary; few excavations are undertaken by the town highway department	2
5-13	Use temporary vegetation and mulching to protect exposed and critical areas during development	<b>Practice:</b> Hydroseeding is commonly used during any extensive excavation (SWCD consulted).	2
5-14	Redistribute topsoil within the boundaries of the disturbed land for seeding and planting	<b>Practice</b>	2
5-15	Stabilize disturbed soils as soon as possible	<b>Practice</b>	2
5-16	Minimize the use of cut and fill operations. Conform such operations to topography and soils to minimize erosion potential and adequately accommodate runoff	<b>Does not apply</b>	n/a

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
5-17	Control erosion and sedimentation prior to, during and after site preparation and construction	<b>Practice</b> -- for the most part, few excavations are undertaken by the town highway department. Seeding/mulching, hay bales, checkdams and other methods are nonetheless considered when necessary	2
5-18	Require long term stormwater management plan.		0
5-19	Require long term sedimentation control & maintenance.	<b>Practice:</b> Stormwater Phase II Pre/Post Regulations are required; SWCD will inspect implementation at the request of the DEC or constituent municipalities	1
<i>All Roads and Bridges</i>			
5-20	Target existing public holdings, such as parks, for removing unnecessary impervious surfaces	Few, if any, such opportunities	n/a
5-21	Incorporate New York State Department of Transportation design and guidance documents, standard specifications, and procedural manuals ( <i>Highway Design Manual, Environmental Procedures Manual, Maintenance Guidelines, etc</i> ) into local laws and operating procedures	<b>Practice:</b> Wyoming County SWCD will supply all highway departments with the 2006 NYS Standards and Specifications for Erosion and Sediment Control along with basic training and background in Spring of '06	2
5-22	Ensure application of appropriate solid and hazardous waste generation and disposal practices including source controls and recycling	<b>Practice:</b> Waste oil recycling does occur; basic municipal recycling	2
5-23	Ensure proper operation and maintenance of runoff management facilities	<b>Does not apply</b> , except for culverts	n/a
5-24	Participate in Cornell Local Roads Program activities and training	<b>Practice</b>	2
5-25	Target training programs at highway officials, contractors, construction workers, inspectors, zoning and planning officials	<b>Practice</b>	2
5-26	Target training and outreach programs about the proper handling of materials, leakage and spill prevention and spill response procedures at maintenance staff and workers	<b>Practice:</b> All employees attend OSHA training on a regular basis; hazmat and spill prevention are covered topics	2

**Town of Covington**  
Oatka Creek Watershed

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
5-27	Culvert maintenance: Culverts are routinely inspected and maintained so that they will remain unobstructed, allowing for the free flow of water during storm events. Blockages resulting from sedimentation, debris, excessive vegetation and structural failure are issues to be aware of.	<b>Practice:</b> Visual inspection of all culverts in the town occurs every spring and fall; this is done in conjunction with budgeting for necessary materials	2
5-28	Culvert sizing for existing land use	<b>Practice:</b> Culverts have been routinely enlarged over the years in order to accommodate increased runoff rates; diversions are not encouraged	2
5-29	Culvert sizing for changes in upstream land use and imperviousness	<b>Practice:</b> Culverts have been routinely enlarged over the years in order to accommodate increased runoff rates; diversions are not encouraged	2
<b>Section 6: Onsite Wastewater Treatment Systems</b>			
6-01	Conduct regular inspections of OWTS at a frequency adequate to determine failure and undertake required maintenance		0
6-02	Institute setback guidelines		0
6-03	Promulgate plumbing codes that require practices that are compatible with OWTS		0
6-04	Target outreach programs at homeowners, contractors and developers	<b>Practice:</b> Wyoming County DOH, CCE, SWCD all offer various education and outreach materials and programs	2
6-05	Inspection of all OWTS at property transfer or within 1 year prior to transfer	Wyoming County Health Dept--Inspections at property transfer, refinance and/or expansion	2
6-06	Require all properties within 500' of municipal service to connect.		0
6-07	Set goals for effluent limits (nitrogen, phosphorous, BOD, etc)		0