

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
Section 1: Development			
<i>Existing Developments</i>			
1-01	Identify retrofit opportunities such as addition of stormwater ponds to older developments or construction of wastewater treatment systems to replace older septic systems		0
1-02	Identify habitat and natural conveyance system restoration opportunities		0
1-03	Establish retention/detention areas		0
1-04	Acquire additional land for locating treatment facilities	Zoning Sec. 502 Regulations Applicable to All Zones M: If the use of any lot or building involves the disposal of sewage or wastewater and public sewers are not available...The minimum lot area otherwise required shall be increased where necessary to the extent required to provide such disposal system.	2
1-05	Encourage homeowners to place compost piles away from waterbodies and roadways	Practice: 1999-2003 GLOW Composting Education Demonstration Sites set up with informational brochures	2
1-06	Encourage proper use and disposal of lawn and other household chemicals	Practice: 1995, 1999, 2003, 2006 GLOW Region Solid Waste Management Committee, in cooperation with GLOW Region Soil and Water Conservation, Farm Bureau and Cornell Cooperative Extension offices, farm pesticide collection programs; Household Hazardous Waste programs held regularly	2
1-07	Institute turf management practices on golf courses and parks and recreation areas		0
1-08	Undertake storm drain stenciling	Practice: conducted in both watersheds at various points in time; MS4s and stormdrains are relatively limited in upper reaches and in rural towns, however	2
1-09	Encourage volunteer programs, such as adopt-a-highways and adopt-a-stream, etc.	Practice: Oatka Creek Watershed Committee, Cornell Cooperative Extension and SWCD have various programs and volunteer efforts geared toward stream and ecosystem stewardship	2
1-10	Include high percentage of indigenous plants in new landscaping on privately-owned properties (excluding arboretums, horticultural gardens, and sites requiring turf grasses)	Subdivision Article IV Sec. V E: Required Trees: ...Required trees shall be approved by the Planning Board and shall be compatible with subdivision development in terms of...nuisance characteristics, disease and pest resistance and general hardiness; also Practice: SWCD tree and shrub sale, occurs on an annual basis; hardy varieties of native species are provided to the public at low-cost	2

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-11	Encourage water conservation		0
1-12	Develop outreach programs targeted at specific problems related to water quality management & resource conservation	Practice: CCE, SWCD and the two watershed groups have been developing several distinct programs regarding water quality, including (but not limited to) septic system outreach, erosion and sediment control workshops, agricultural BMPs, watershed planning and household hazardous waste	2
1-13	Encourage proper control of pet wastes		0
1-14	Encourage continued operation of private storm water runoff control structures		0
1-15	Discourage feeding of waterfowl		0
1-16	Discourage the introduction of exotic aquatic species (Eurasian water milfoil, zebra mussels, water chestnut, loosestrife, hogweed, etc		0
1-17	Encourage continued (periodic) operation and maintenance of private septic disposal systems	Practice: SWCD recently conducted a county-wide program geared toward residential maintenance of systems; CCE have conducted programs in the past	2
1-18	Effective and consistent application and enforcement of stormwater regulations & requirements		0
1-19	Require certification of existing on site septic systems for property transfers or building expansions.	Wyoming County Health Dept--Inspections at property transfer, refinance and/or expansion	2
1-20	Require entire property (existing as well as proposed) to be included in stormwater analysis/calculation.	Z.O. Section 502. P - All construction plans shall include consideration of storm water drainage. S of L. pg 28. 10 - Subdivider must provide a storm drainage plan indicating the approximate location and size.	2
1-21	Use of drainage districts		0
<i>New Development and Substantial Redevelopment</i>			
1-22	Minimize the amount of land disturbed and the duration of disturbance		0
1-23	Preserve natural features and conform substantially with the natural boundaries and alignment of waterbodies	Z.O. Section 501. A - No structure shall be built within 50 feet of the bed of stream carrying water on an average of 6 months of the year. Z.O. Section 501. C - Natural features such as trees, brooks, drainage channels shall be preserved. S of L. pg 24 D - The Planning Board, shall wherever possible, preserve all natural features. Sec 1104 Excavation Operations L: Existing hills, trees and ground cover...shall be preserved	2

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-24	Retain and protect trees and other natural vegetation on and near disturbed sites	Z.O. Section 501. C - Natural features such as trees, brooks, drainage channels shall be preserved. Sec 1104 Excavation Operations L: Existing hills, trees and ground cover...shall be preserved S of L. pg.18 K - Preserve tree life. S of L. pg 24 D - No tree with a diameter of 8 inches or more shall be removed.	2
1-25	Account for topography and soil type in efforts to minimize erosion potential		0
1-26	Maintain runoff rates similar to pre-construction levels	Sec 1104 Excavation Operations P and Q: [regarding an adequate and comprehensive drainage system]. S of L. pg 23 A - The subdivider may be required to carry away and surface water that may exist either previous too or as a result of the subdivision.	2
1-27	Minimize the creation of impervious areas [encourage permeable surface]		0
1-28	Control increased runoff caused by changed surface conditions to minimize the danger of flooding, erosion, sedimentation and pollutants entering waterbodies prior to, during and after construction	Sec 1104 Excavation Operations P and Q: [regarding an adequate and comprehensive drainage system]. S of L. pg 23 A - The subdivider may be required to carry away and surface water that may exist either previous too or as a result of the subdivision.	2
1-29	Use temporary vegetation, silt barriers, and mulching to protect exposed and critical areas during development including timeline requirements (i.e. two weeks of no activity would need to be seeded)		0
1-30	Redistribute topsoil within the boundaries of the disturbed land for seeding and planting		0
1-31	Stabilize disturbed soils as soon as possible	Zoning Sec. 1104 Excavation Operations K: All topsoil and subsoil shall be stripped from the active excavation area and stockpiled and seeded for use in accordance with the restoration plan.	2
1-32	Minimize the use of cut and fill operations. Conform such operations to topography and soils to minimize erosion potential and adequately accommodate runoff		0
1-33	Use appropriate solid and hazardous waste generation and disposal practices including source controls and recycling		0

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
1-34	Encourage construction site management techniques which include erosion control practices (follow SWPPPs) and the proper handling and disposal of pesticides and petroleum products and containers	Sec 1104 Excavation Operations R: All applications for a permit under this section must contain an operations plan in sufficient detail to describe the excavation operation including active excavation and storage areas. Also, Practice: SWCD "Implementing Erosion and Sediment Control BMP's" workshop March of 2006	2
1-35	Ensure proper operation and maintenance of runoff management facilities		0
1-36	Target training for contractors, developers, inspectors and zoning and planning officials.	Practice: SWCD "Implementing Erosion and Sediment Control BMP's" workshop March of 2006	2
1-37	Require tree surveys and/or cutting plans.		0
1-38	Develop priority list for BMP's - use of vegetative low areas for retention/infiltration.		0
1-39	Encourage cluster development/conservation subdivisions	Z.O. Section 1113. A - Cluster residential developments may be permitted upon approval by the Planning Board.	2
1-40	Require connection to and/or extension of existing water & sewer if project is within 500 feet of existing infrastructure		0
1-41	Enact limits on driveway grades.		0
1-42	For redevelopment, employ regulations that provide for technologically advanced (on and off) site wastewater treatment systems to optimize efficiencies and address "challenging" sites		0
1-43	Implement Federal/State Stormwater (SPDES) Phase II requirements including MS4 and Construction Permits as well as Municipal and Industrial Discharge Permits	Practice: Construction site and Construction Permit inspection conducted by the county SWCD at the request of NYSDEC; G/FLRPC continues to assist municipalities with other aspects of Phase II Stormwater compliance	2
1-44	Discourage development in flood plain and/or development below base flood elevation	Z.O. Section 906. A - Minimize development on unstable land. Restrict or prohibit uses that are dangerous. (See Section 906. A (1-9) and B. (1-5)). S of L. pg 24 D - Land subject to flooding shall not be platted for residential occupancy.	2

Section 2: Forestry and Agriculture

Forestry

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
2-01	Consider potential water quality impacts when selecting silviculture system (yarding system, site preparation, pesticides employment, etc)		0
2-02	Consider harvesting practices	Practice: SWCD in conjunction with DEC offers woodlot management outreach services to land owners	2
2-03	Seasonal preference for logging operations		0
2-04	Have specialists (geologist, soil scientist, geotechnical engineer, wildland hydrologist) review plans in high erosion hazard areas		0
2-05	Preplan harvest areas, skid trails, and access so as to be on stable soils, avoiding steep gradients, multiple stream crossings, poor drainage areas, etc.		0
2-06	Limit grades of access roads.		0
2-07	Require stabilization of roads/drives to forestry site.		0
2-08	Employ natural topography and contour for design of road network		0
2-09	Require stormwater controls for increased runoff from ground cover modification		0
2-10	Consider site restoration		0
<i>Agriculture</i>			
2-11	Use Agricultural Environmental Management (AEM)	Practice: See county SWCD AEM Five Year Plan	2
2-12	Require farms seeking agricultural value assessment to participate in AEM	Does not apply: Legality of such a practice questioned by regional SWCD managers	n/a
2-13	Concentrated Animal Feeding Operations (CAFO) regulations and permits being followed	Practice: Permits enforced by NYSDEC; See also county SWCD AEM Five Year Plan	2
2-14	Use of Comprehensive Nutrient Management Plans	Practice: The latest NYS Ag and Markets Comprehensive Nutrient Planning Grant through the Ag Nonpoint Source Abatement program consists of cost sharing for the development of CNMPs for 18 farms in the Oatka Creek watershed, 12 in Wyoming County, 5 in Genesee County and 1 in Monroe County	2

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
2-15	Barnyard runoff controls	Zoning, Supplementary Regulations, Sec. 1006: Animal Waste Management Systems see also 2-14 Also: Most recently, Barnyard Runoff Management Systems and other operational BMPs were implemented on farms in Ogden(2), Wheatland(1), LeRoy(3), Pavilion(2), Byron(1), Warsaw(5), Covington(3), Orangeville(1), and Middlebury(1) through the Genesee River Implementatin Grant project	2
2-16	Grazing in environmentally sensitive areas (e.g. streams)	Practice: Caring for Creeks, EPF Ag NPS Abatement grants	2
2-17	Use of agricultural protection such as Agricultural Districts, agricultural preservation ordinances and practices, right to farm laws, and Agricultural and Farmland Protection Plans	Z.O. Section 901. A - Ag. Districts are designed to protect predominantly agricultural areas from suburban and urban development, encourage the continuation of agriculture, and preserve open space and natural resources.; County Agricultural Preservation Plan completed in 2006	2
2-18	Existing Open Space Plans		0
Section 3: Waterways and Wetlands			
<i>Modified Waterways</i>			
3-01	Develop an operation and maintenance program for existing modified streams that includes identification of opportunities and actions to restore habitat and the physical and chemical characteristics of these streams.		0
3-02	Improve stream quality by controlling instream sedimentation and selectively clearing debris	Practice: SWCD has inventoried entire section of the Oatka Creek and has identified 43 locations for tree removal	2
3-03	Establish or reestablish riparian buffers	Practice: SWCD works in conjunction with land owners, farmers in particular	2
3-04	Prevent animal wastes from entering waterbodies. Examples may include: animal control ordinances and/or practices that pertain to animal waste disposal; waterfowl abatement programs.	Practice: SWCD/NRCS comprehensive nutrient management plans, bunker storage systems, etc.	2
3-05	Attempt vegetative stabilization before undertaking structural measures	Practice: SWCD has used vegetated systems, such as downed trees and logs, to stabilize severely eroded banks	2

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
3-06	Schedule the periodic maintenance of sediment control measures, and inspect and repair them as needed in conformance with established schedule.	Practice: SWCD is always looking for opportunities to devise check dams; maintains several that are in operation	2
3-07	Protect streambanks through direct nonstructural means, such as new vegetation or protection of existing vegetation; direct structural means, such as revetments and bulkheads; indirect nonstructural means, such as regulating irrigation near streambanks or rerouting overbank drainage; or indirect structural means, such as deflecting channel flow away from streambanks with dikes, board fences and gabions	Practice: SWCD has used vegetated systems, such as downed trees and logs, to stabilize severely eroded banks; other innovative approaches are developed on a case-by-case, site-specific basis	2
3-08	Use setbacks to minimize disturbance of land adjacent to streambanks and shorelines	Z.O. Section 501. A - No structure shall be built within 50 feet of the bed of stream carrying water on an average of 6 months of the year.	2
3-09	Prevent discharges to waterbodies in amounts that would adversely affect the taste, color or odor of the waters, or would impair the waters for their best usages		0
<i>Wetlands and Riparian Area Management and Restoration</i>			
3-10	Consider wetlands and riparian areas and their non-point source (nps) control potential	Practice: guiding principle of SWCD operations, as exemplified in efforts in the field as well as education and outreach programs	2
3-11	Identify existing functions of those wetland and riparian areas with significant nps control potential when implementing nps management practices. Do not alter wetlands or riparian areas to improve their water quality at the expense of their other functions		0
3-12	Conduct permitting, licensing, certification and nonregulatory nps pollution activities in a manner that protects wetland functions		0
3-13	Special zoning considerations to protect wetland areas		0

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
3-14	Use appropriate pretreatment practices such as vegetated systems or detention or retention basins to prevent adverse impacts to wetland functions that affect nps pollution abatement from hydrologic changes, sedimentation, or contaminants		0
3-15	All projects should require wetlands certification.		0
Section 4: Recreation			
<i>Docks and Launches</i>			
4-01	Required site planning and approval for docks and launches		n/a
4-02	Use of naturally resistant non-treated wood for docks		n/a
4-03	Docks constructed to allow for free-flow of water beneath them to prevent erosion and sedimentation along shoreline		n/a
4-04	Limit size of docks		n/a
4-05	Maintenance of dock - application of preservatives and paints		n/a
4-06	Consideration of access to dock and launches to mitigate erosion		n/a
<i>Golf Courses</i>			
4-07	Pesticide storage - covered, locked concrete or steel building with adequate ventilation and metal shelving, no floor drains, and berm or sill to contain spills		0
4-08	Pesticide mixing and loading - use of chemical mixing center and proper operation and maintenance		0
4-09	Solvents and Degreasers - separate solvent collection systems such as solvent wash baths		0
4-10	Solvents and Degreasers - consideration of storage, use (contained), and disposal		0

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
4-11	Fertilizer Storage - covered fertilizer storage areas with curbs or berms to prevent water from entering. Secondary containment should be used even where not required		0
4-12	Fertilizer Loading: Make specific accommodations for fertilizer loading and mixing so that spills may be collected and managed. Examples include covered, impermeable surfaces intended for mixing; sloped surfaces that direct spills toward a liquid-tight sump for recovery; provision of appropriate cleaning materials, such as cat litter or sand.		0
4-13	Disposal of grass clippings: Grass clippings should remain on the surface in order to provide a natural source of organic matter and nutrients. If this is not preferred, clippings should be spread lightly in the rough or other unmanaged areas away from surface waters, outside of aquatic buffer zones.		0
4-14	Used Oil, antifreeze and lead acid batteries - collection and recycling		0
4-15	Gasoline, Diesel fuel - compliance with DEC regulations for above-ground and below ground tanks, closing of stormwater drains in immediate vicinity of fueling point		0
4-16	General Equipment Washing: Minimize the use of detergents or degreasers; high pressure systems are used to decrease water usage; If less than 500 gallons per day, wastewater from equipment washing may drain to a grassed retention area or swale away from receiving waterbodies; otherwise discharges should be directed to a municipal treatment system		0
4-17	Encourage use of vegetated buffers near aquatic areas, such as streams, ponds, lakes and wetlands		0

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
Section 5: Roads and Bridges			
<i>Existing Roads and Bridges</i>			
5-01	Conduct road and bridge maintenance (de-icing material usage and storage, pot-hole repair, bridge washing, scraping and painting, etc) according to best management practices	Practice: Basic BMPs routinely followed by highway department; road salt storage enclosed	2
5-02	Conduct right-of-way activities (mowing, brush removal, pesticide and fertilizer use, etc) - according to best management practices	Practice: no pesticides used; vegetative buffers maintained near waterbodies when within the town's right of way	2
5-03	Include high percentage of indigenous plants in new landscaping on public-owned properties (excluding arboretums, horticultural gardens, and site requiring turf grasses)	Does not apply	n/a
5-04	Implement a regular inspection and maintenance plan of existing structures	Practice: annual visual inspections take place; all culverts are replace and upgraded (as necessary) in conjunction with the town's capital road improvement program	2
5-05	Develop and identify erosion/sediment control areas (examples include steep slopes, easily erodible soils, and nearby sensitive areas) and retrofit opportunities	Practice: ditch lining has been done to an extent on seasonal roads; otherwise, not a major priority	2
5-06	Incorporate alternatives to traditional de-icing practices, including adjusting mix rates, using non-salt and non-sand alternatives	Practice: alternatives have been tested; storage exists; loading takes place within a confined area	2
<i>New Roads and Bridges (Road Rehabilitation Only)</i>			
5-07	Minimize the amount of land disturbed and the duration of disturbance	Practice	2
5-08	Preserve natural features and conform substantially with the natural boundaries and alignment of waterbodies	Z.O. Section 501. A - No structure shall be built within 50 feet of the bed of stream carrying water on an average of 6 months of the year. Z.O. Section 501. C - Natural features such as trees, brooks, drainage channels shall be preserved. S of L. pg 24 D - The Planning Board, shall wherever possible, preserve all natural freatures. Sec 1104 Excavation Operations L: Existing hills, trees and ground cover...shall be preserved	2

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
5-09	Retain and protect trees and other natural vegetation on and near disturbed sites	Z.O. Section 501. C - Natural features such as trees, brooks, drainage channels shall be preserved. Sec 1104 Excavation Operations L: Existing hills, trees and ground cover...shall be preserved S of L. pg.18 K - Preserve tree life. S of L. pg 24 D - No tree with a diameter of 8 inches or more shall be removed.	2
5-10	Retain additional runoff sites		0
5-11	Minimize the creation of impervious areas		0
5-12	Treat increased runoff caused by changed surface conditions to minimize the danger of flooding, erosion and pollutants entering waterbodies prior to, during and after construction		0
5-13	Use temporary vegetation and mulching to protect exposed and critical areas during development	Practice: hydroseeding occurs as necessary	2
5-14	Redistribute topsoil within the boundaries of the disturbed land for seeding and planting	Practice	2
5-15	Stabilize disturbed soils as soon as possible	Zoning Sec. 1104 Excavation Operations K: All topsoil and subsoil shall be stripped from the active excavation area and stockpiled and seeded for use in accordance with the restoration plan.	2
5-16	Minimize the use of cut and fill operations. Conform such operations to topography and soils to minimize erosion potential and adequately accommodate runoff	Practice: rarely used; where present, the cut and fill occurred quite some time ago and has not caused serious erosion problems	2
5-17	Control erosion and sedimentation prior to, during and after site preparation and construction	Practice	2
5-18	Require long term stormwater management plan.		0
5-19	Require long term sedimentation control & maintenance.	Practice: Stormwater Phase II Pre/Post Regulations are required; SWCD will inspect implementation at the request of the DEC or constituent municipalities	1
<i>All Roads and Bridges</i>			
5-20	Target existing public holdings, such as parks, for removing unnecessary impervious surfaces	Does not apply	n/a

Town of Warsaw
Black and Oatka Watersheds

BMP #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
5-21	Incorporate New York State Department of Transportation design and guidance documents, standard specifications, and procedural manuals (<i>Highway Design Manual, Environmental Procedures Manual, Maintenance Guidelines</i> , etc) into local laws and operating procedures	Practice: Wyoming County SWCD will supply all highway departments with the 2006 NYS Standards and Specifications for Erosion and Sediment Control along with basic training and background in Spring of '06	2
5-22	Ensure application of appropriate solid and hazardous waste generation and disposal practices including source controls and recycling	Practice: basic recycling does take place	2
5-23	Ensure proper operation and maintenance of runoff management facilities	Practice: the entire town is open-ditch, no real "facilities"; however, some check dams and other temp. structures are present	2
5-24	Participate in Cornell Local Roads Program activities and training	Practice	2
5-25	Target training programs at highway officials, contractors, construction workers, inspectors, zoning and planning officials	Practice	2
5-26	Target training and outreach programs about the proper handling of materials, leakage and spill prevention and spill response procedures at maintenance staff and workers	Practice: OSHA training seminars cover these issues	2
5-27	Culvert maintenance: Culverts are routinely inspected and maintained so that they will remain unobstructed, allowing for the free flow of water during storm events. Blockages resulting from sedimentation, debris, excessive vegetation and structural failure are issues to be aware of.	Practice: road reconstruction program involves replacing of all culverts along the right of way	2
5-28	Culvert sizing for existing land use	Practice	2
5-29	Culvert sizing for changes in upstream land use and imperviousness	Practice	2
Section 6: Onsite Wastewater Treatment Systems			
6-01	Conduct regular inspections of OWTS at a frequency adequate to determine failure and undertake required maintenance		0
6-02	Institute setback guidelines		0

Town of Warsaw
Black and Oatka Watersheds

<i>BMP</i> #	Best Management Practices (BMP)	Existing Means of Implementation (law, regulation, practice, etc)	Implementation
			2-full, 1-partial, 0-not at all, n/a-not applicable
6-03	Promulgate plumbing codes that require practices that are compatible with OWTS		0
6-04	Target outreach programs at homeowners, contractors and developers	Practice: Wyoming County DOH, CCE, SWCD all offer various education and outreach materials and programs	2
6-05	Inspection of all OWTS at property transfer or within 1 year prior to transfer	Wyoming County Health Dept--Inspections at property transfer, refinance and/or expansion	2
6-06	Require all properties within 500' of municipal service to connect.		0
6-07	Set goals for effluent limits (nitrogen, phosphorous, BOD, etc)		0